



⚡ 24V dc

Hz 50-60Hz

⬡ CIII

⊙ IP20

K 5.000K

∞ GR

📖 AL



1



2



3



4



5



6



7



8



9



10



11



12



13




14



		W				
(N) 473750	1	14,4W	120LEDs/m	100cm	Translúcido 87%	Empotrar
(N) 473767	2	14,4W	120LEDs/m	100cm	Opal 73%	Superficie
(N) 473774	3	14,4W	120LEDs/m	100cm	Translúcido 87%	Esquina
(N) 473781	4	14,4W	120LEDs/m	100cm	Translúcido 87%	Superficie
(N) 473200	5	14,4W	120LEDs/m	100cm	Opal 73%	Superficie
(N) 473217	6	14,4W	120LEDs/m	100cm	Opal 73%	Superficie
(N) 473224	7	14,4W	120LEDs/m	100cm	Opal 73%	Empotrar
(N) 473231	8	14,4W	120LEDs/m	100cm	Opal 73%	Empotrar
(N) 473248	9	14,4W	120LEDs/m	100cm	Opal 73%	Empotrar
(N) 473255	10	14,4W	120LEDs/m	100cm	Opal 73%	Superficie
(N) 473262	11	14,4W	120LEDs/m	100cm	Opal 73%	Superficie
(N) 473279	12	14,4W	120LEDs/m	100cm	Opal 73%	Superficie
(N) 473286	13	14,4W	120LEDs/m	100cm	Opal 73%	Esquina
(N) 473293	14	14,4W	120LEDs/m	100cm	Opal 73%	Esquina

Dimensiones/Measure/Mesure/Dimensão





Bajo pedido/On request/Sur commande/A pedido

N/ Consultar disponibilidad de suministrar perfiles y accesorios de manera individual.

E/ Consult availability to supply profiles and accessories individually.

F/ Consultez la disponibilité pour fournir des profils et des accessoires individuellement.

P/ Consulte a disponibilidade para fornecer perfis e acessórios individualmente.

		1	2	3	4	5	6	7	8	9	10	11	12	13	14
K	2.700K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	4.000K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5.000K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6.500K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RGB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RGBW	✓	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✗	✗
	RGB SPI	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WAS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Rojo	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Verde	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Azul	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Ámbar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	*PC Transparente	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	*PC Translúcido	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PC Opal	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓