

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR
ELECTRICAL EQUIPMENT (IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS
D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE)
METHODE OC

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC

Product
Produit

CABLE MANAGEMENT- CABLE TRAY SYSTEMS

Name and address of the applicant
Nom et adresse du demandeurPEMSA CABLE MANAGEMENT, S.A.U.
PI LA GARENA, CL GALILEO GALILEI, 22-24
28806 ALCALÁ DE HENARES (Madrid - SPAIN)Name and address of the manufacturer
Nom et adresse du fabricant

SAME AS ABOVE

Name and address of the factory
Nom et adresse de l'usine

SAME AS ABOVE

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} page☐ Additional Information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

See Annex

Trademark (if any)
Marque de fabrique (si elle existe)

REJIBAND

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

See references on the Annex

Additional information (if necessary may also be reported on
page 2)
Les informations complémentaires (si nécessaire,, peuvent être
indiqués sur la 2^{ème} page☐ Additional Information on page 2A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 61537:2006

As shown in the Test Report Ref. No. which forms part of this
Certificate
Comme indiqué dans le Rapport d'essais numéro de référence
qui constitue partie de ce Certificat

CEL-0331/15-1/1 up to CEL-0331/15-1/6

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de CertificationASOCIACIÓN ESPAÑOLA DE NORMALIZACIÓN Y CERTIFICACIÓN (AENOR)
CI Génova, 6
ES-28004 MADRID (SPAIN)

Date: 2015-08-06

Signature:

AENOR

Asociación Española de
Normalización y CertificaciónAvelino BRITO
Chief Executive Officer

ANNEX TO CB CERTIFICATE N° ES1659

CERTIFIED REFERENCES AND THEIR PRINCIPAL CHARACTERISTICS

PRODUCT: CABLE MANAGEMENT - CABLE TRAY SYSTEMS

Trade mark: REJUBAND

Reference	Type of product	Width x Height (mm)	Safe working load (SWL)	Surface treatment	Type of accessory	Additional information
60211100	Cable tray length	100x35	211 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021100
60211150	Cable tray length	150x35	152 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021150
60211200	Cable tray length	200x35	307 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021200
60211300	Cable tray length	300x35	280 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021300
60211400	Cable tray length	400x35	340 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021400
60212060	Cable tray length	60x60	282 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021060
60212100	Cable tray length	100x60	474 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021100
60212150	Cable tray length	150x60	372 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021150
60212200	Cable tray length	200x60	483 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021200
60212300	Cable tray length	300x60	754 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021300
60212400	Cable tray length	400x60	787 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021400
60212500	Cable tray length	500x60	967 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021500
60212600	Cable tray length	600x60	1078 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021600
60213100	Cable tray length	100x100	818 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021100
60213150	Cable tray length	150x100	654 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021150
60213200	Cable tray length	200x100	954 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021200
60213300	Cable tray length	300x100	1071 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021300
60213400	Cable tray length	400x100	1065 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021400
60213500	Cable tray length	500x100	1516 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021500
60213600	Cable tray length	600x100	1379 N/m	Electrogalvanised	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64010061/64010060/67010046/73021600
60221100	Cable tray length	100x35	211 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021100
60221150	Cable tray length	150x35	152 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021150
60221200	Cable tray length	200x35	307 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021200
60221300	Cable tray length	300x35	280 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021300
60221400	Cable tray length	400x35	340 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021400
60222060	Cable tray length	60x60	282 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021060
60222100	Cable tray length	100x60	474 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021100
60222150	Cable tray length	150x60	372 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021150
60222200	Cable tray length	200x60	483 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021200

ANNEX TO CB CERTIFICATE Nº ES1659

Reference	Type of product	Width x Height (mm)	Safe working load (SWL)	Surface treatment	Type of accessory	Additional information
60222300	Cable tray length	300x60	754 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021300
60222400	Cable tray length	400x60	787 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021400
60222500	Cable tray length	500x60	967 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021500
60222600	Cable tray length	600x60	1078 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021600
60223100	Cable tray length	100x100	818 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021100
60223150	Cable tray length	150x100	654 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021200
60223200	Cable tray length	200x100	954 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021300
60223300	Cable tray length	300x100	1071 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021400
60223400	Cable tray length	400x100	1065 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021500
60223500	Cable tray length	500x100	1516 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67020046/73021600
60223600	Cable tray length	600x100	1379 N/m	BYCRO	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64020061/64020060/67030046/73031100
60231100	Cable tray length	100x35	211 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031100
60231150	Cable tray length	150x35	152 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031150
60231200	Cable tray length	200x35	307 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031200
60231300	Cable tray length	300x35	280 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031300
60231400	Cable tray length	400x35	340 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031400
60232060	Cable tray length	60x60	282 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031060
60232100	Cable tray length	100x60	474 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031100
60232150	Cable tray length	150x60	372 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031150
60232200	Cable tray length	200x60	483 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031200
60232300	Cable tray length	300x60	754 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031300
60232400	Cable tray length	400x60	787 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031400
60232500	Cable tray length	500x60	967 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031500
60232600	Cable tray length	600x60	1078 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031600
60233100	Cable tray length	100x100	818 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031100
60233150	Cable tray length	150x100	654 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031150
60233200	Cable tray length	200x100	954 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031200
60233300	Cable tray length	300x100	1071 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031300
60233400	Cable tray length	400x100	1065 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031400
60233500	Cable tray length	500x100	1516 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031500
60233600	Cable tray length	600x100	1379 N/m	Hot Dip Galvanized	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64030061/64030060/67030046/73031600
60251200	Cable tray length	200x35	255 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061200
60251300	Cable tray length	300x35	255 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061300
60251400	Cable tray length	400x35	307 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061400
60252100	Cable tray length	100x60	353 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061100
60252150	Cable tray length	150x60	356 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061150
60252200	Cable tray length	200x60	405 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061200
60252300	Cable tray length	300x60	409 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061300
60252400	Cable tray length	400x60	413 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061400
60252500	Cable tray length	500x60	526 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061500

ANNEX TO CB CERTIFICATE Nº ES1659

Reference	Type of product	Width x Height (mm)	Safe working load (SWL)	Surface treatment	Type of accessory	Additional information
60252600	Cable tray length	600x60	640 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061600
60253100	Cable tray length	100x100	600 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061100
60253150	Cable tray length	150x100	600 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061150
60253200	Cable tray length	200x100	600 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061200
60253300	Cable tray length	300x100	617 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061300
60253400	Cable tray length	400x100	640 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061400
60253500	Cable tray length	500x100	664 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061500
60253600	Cable tray length	600x100	688 N/m	Stainless Steel 304	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061600
60261200	Cable tray length	200x35	258 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061200
60261300	Cable tray length	300x35	255 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061300
60261400	Cable tray length	400x35	307 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061400
60262100	Cable tray length	100x60	353 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061100
60262150	Cable tray length	150x60	356 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061150
60262200	Cable tray length	200x60	405 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061200
60262300	Cable tray length	300x60	409 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061300
60262400	Cable tray length	400x60	413 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061400
60262500	Cable tray length	500x60	526 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061500
60262600	Cable tray length	600x60	640 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061600
60263100	Cable tray length	100x100	600 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061100
60263150	Cable tray length	150x100	600 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061150
60263200	Cable tray length	200x100	600 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061200
60263300	Cable tray length	300x100	617 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061300
60263400	Cable tray length	400x100	640 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061400
60263500	Cable tray length	500x100	664 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061500
60263600	Cable tray length	600x100	688 N/m	Stainless Steel 316	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64060061/64060060/67060046/73061600
60281100	Cable tray length	100x35	211 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081100
60281150	Cable tray length	150x35	152 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081150
60281200	Cable tray length	200x35	307 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081200
60281300	Cable tray length	300x35	280 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081300
60281400	Cable tray length	400x35	340 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081400
60282060	Cable tray length	600x60	282 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081500
60282100	Cable tray length	100x60	474 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081600
60282150	Cable tray length	150x60	372 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081150
60282200	Cable tray length	200x60	483 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081200
60282300	Cable tray length	300x60	754 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081300
60282400	Cable tray length	400x60	787 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081400
60282500	Cable tray length	500x60	967 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081500
60282600	Cable tray length	600x60	1078 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081600

ANNEX TO CB CERTIFICATE N° ES1659

Reference	Type of product	Width x Height (mm)	Safe working load (SWL)	Surface treatment	Type of accessory	Additional information
60283100	Cable tray length	100x100	818 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081100
60283150	Cable tray length	150x100	654 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081150
60283200	Cable tray length	200x100	954 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081200
60283300	Cable tray length	300x100	1071 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081300
60283400	Cable tray length	400x100	1065 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081400
60283500	Cable tray length	500x100	1516 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081500
60283600	Cable tray length	600x100	1379 N/m	BLACK C8	Reinforced Joint /Part Clamp/Central Hanging M8/M10/Cover	64080061/64080060/67080046/73081600

Classification:

6.1 According to material: **Metallic**

6.2 According to resistance to flame propagation: **Non flame propagation**

6.3 Electrical continuity (see additional information)

6.4 Electrical conductivity: **Conductive.**

6.5 Resistance against corrosion: **See Table.**

6.6 According to temperature

- Minimum temperature for transport, storage, installation and use: -20 °C.
- Maximum temperature for transport, storage, installation and use: 120 °C.

6.7 According to perforation in the base area: **D**

6.9 According to impact resistance: **up to: 20 J**

10.2 SWL safety Working Load (see table) :

- cable tray (span tested 1,5 m)
- support

Material and finish	Classification
Electrogalvanised	3
Hot Dip Galvanized	7
BYCRO	5
Stainless Steel 304	9C
Stainless Steel 316	9D
Black C8	8